

Manufacturer's declaration of compliance with approved EN standards

We declare that the following product: **Cylinder Assa 600 (Round cylinder)**
Cylinder Serie; 600
Cylinder type; 612, 611, 613

has been successfully tested to: **SS- EN 1303: 2005 - Building Hardware – Cylinders for locks-
Requirements and test methods**

with the following classification:

<small>1</small>	<small>2</small>	<small>3</small>	<small>4</small>	<small>5</small>	<small>6</small>	<small>7</small>	<small>8</small>
1	6	0	1	0	C	6	2

<u>Box</u>	<u>Classification</u>	<u>Grades</u>
1	Category of use	Grade 1 - Key Strength of 2.5 Nm
2	Durability	Grade 6 - 100000 cycles
3	Door mass	Grade 0 - No classification
4	Fire resistance	Grade 1 - For use on fire resistant door.
5	Safety	Grade 0 - No classification
6	Corrosion resistance	Grade C - High corrosion, resistance, temperature requirement -20°C to +80°C
7	Key Related Security	Grade 6 - Highest security grade
8	Attack resistance	Grade 2 - Highest Attack resistance grade

Note: For additional information about the requirements, see standard EN 1303:2005.

Evidence of standards compliance:

- | | | |
|---|-------------|-------------------------------------|
| <input type="checkbox"/> Type testing by Manufacturer | (Lab. ref.) | |
| <input type="checkbox"/> Type testing by Manufacturer to ISO/IEC 17025 | (Lab. ref.) | |
| <input checked="" type="checkbox"/> Type testing by Independent recognised laboratory | [Lab. ref.] | Assa Testing Laboratory, ATL |
| <input type="checkbox"/> Regular audit testing by Manufacturer | [Lab. ref.] | |
| <input type="checkbox"/> Regular audit testing by Manufacturer to ISO/IEC17025 | (Lab. ref.) | |
| <input type="checkbox"/> Regular audit testing by Independent recognised laboratory | (Lab. ref.) | |
| <input checked="" type="checkbox"/> Compliance to EN 1303:2005 | (Lab. ref.) | |
| <input type="checkbox"/> Other | (specify:) | |

Evidence of quality compliance:

- Manufacturer's quality system to EN 9002
- Manufacturer's quality system to EN 9001
- Manufacturer's quality system to EN 9002 with Independent quality assessment
- Manufacturer's quality system to EN 9001 with Independent quality assessment [DNV: 98-SKM-AQ-267]
- Manufacturer's environmental system to EN 14001 [DNV: 98-SKM-AE-036]
- Other [specify:]

Evidence of marking compliance:

- | | |
|---|---|
| <input checked="" type="checkbox"/> None | |
| <input type="checkbox"/> CE marking compulsory | <input type="checkbox"/> Quality label [specify:] |
| <input checked="" type="checkbox"/> CE marking not applicable | <input type="checkbox"/> Other [specify:] |

Date: 12 april 2006

Signatures:

Name:

Björn Brandfors
Product Manager, AE Cylinder

Inge Lidén
Manager, Assa Testing Laboratory